



BARGE "EIDC 13"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/8	- 01-1/8	01-1/2	- 01-1/2	01-7/8	- 01-7/8	02-1/4	- 02-1/4
2 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-3/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 3/4"

LENGTH BETWEEN DRAFT MARKS: 189'-00"

January 6, 2016

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "EIDC 13"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 11'-00 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19	0	15,483	0	33,157	0	50,831	0	68,504	0	86,178	0	103,852	0	121,525	0	139,199	0	156,873
1/4	94	1/4	15,851	1/4	33,525	1/4	51,199	1/4	68,872	1/4	86,546	1/4	104,220	1/4	121,893	1/4	139,567	1/4	157,241
1/2	169	1/2	16,219	1/2	33,893	1/2	51,567	1/2	69,240	1/2	86,914	1/2	104,587	1/2	122,261	1/2	139,935	1/2	157,609
3/4	244	3/4	16,588	3/4	34,262	3/4	51,935	3/4	69,609	3/4	87,283	3/4	104,955	3/4	122,630	3/4	140,304	3/4	157,978
1	319	1	16,956	1	34,630	1	52,303	1	69,977	1	87,651	1	105,322	1	122,998	1	140,672	1	158,346
1/4	456	1/4	17,324	1/4	34,998	1/4	52,671	1/4	70,345	1/4	88,019	1/4	105,690	1/4	123,366	1/4	141,040	1/4	158,714
1/2	655	1/2	17,692	1/2	35,366	1/2	53,039	1/2	70,713	1/2	88,387	1/2	106,059	1/2	123,734	1/2	141,408	1/2	159,082
3/4	855	3/4	18,061	3/4	35,734	3/4	53,408	3/4	71,082	3/4	88,756	3/4	106,428	3/4	124,103	3/4	141,777	3/4	159,450
2	1,054	2	18,429	2	36,102	2	53,776	2	71,450	2	89,124	2	106,797	2	124,471	2	142,145	2	159,818
1/4	1,311	1/4	18,797	1/4	36,470	1/4	54,144	1/4	71,818	1/4	89,492	1/4	107,165	1/4	124,839	1/4	142,513	1/4	160,186
1/2	1,626	1/2	19,165	1/2	36,838	1/2	54,512	1/2	72,186	1/2	89,860	1/2	107,533	1/2	125,207	1/2	142,881	1/2	160,554
3/4	1,940	3/4	19,534	3/4	37,207	3/4	54,881	3/4	72,555	3/4	90,228	3/4	107,902	3/4	125,576	3/4	143,250	3/4	160,923
3	2,255	3	19,902	3	37,575	3	55,249	3	72,923	3	90,596	3	108,270	3	125,944	3	143,618	3	161,291
1/4	2,596	1/4	20,270	1/4	37,943	1/4	55,617	1/4	73,291	1/4	90,964	1/4	108,638	1/4	126,312	1/4	143,986	1/4	161,659
1/2	2,964	1/2	20,638	1/2	38,311	1/2	55,985	1/2	73,659	1/2	91,332	1/2	109,006	1/2	126,680	1/2	144,354	1/2	162,027
3/4	3,333	3/4	21,006	3/4	38,680	3/4	56,354	3/4	74,027	3/4	91,701	3/4	109,375	3/4	127,049	3/4	144,722	3/4	162,396
4	3,701	4	21,374	4	39,048	4	56,722	4	74,395	4	92,069	4	109,743	4	127,417	4	145,090	4	162,764
1/4	4,069	1/4	21,742	1/4	39,416	1/4	57,090	1/4	74,763	1/4	92,437	1/4	110,111	1/4	127,785	1/4	145,458	1/4	163,132
1/2	4,437	1/2	22,110	1/2	39,784	1/2	57,458	1/2	75,131	1/2	92,805	1/2	110,479	1/2	128,153	1/2	145,826	1/2	163,500
3/4	4,805	3/4	22,479	3/4	40,153	3/4	57,827	3/4	75,500	3/4	93,174	3/4	110,848	3/4	128,521	3/4	146,195	3/4	163,869
5	5,173	5	22,847	5	40,521	5	58,195	5	75,868	5	93,542	5	111,216	5	128,889	5	146,563	5	164,237
1/4	5,541	1/4	23,215	1/4	40,889	1/4	58,563	1/4	76,236	1/4	93,910	1/4	111,584	1/4	129,257	1/4	146,931	1/4	164,605
1/2	5,909	1/2	23,583	1/2	41,257	1/2	58,931	1/2	76,604	1/2	94,278	1/2	111,952	1/2	129,625	1/2	147,299	1/2	164,973
3/4	6,278	3/4	23,952	3/4	41,626	3/4	59,299	3/4	76,973	3/4	94,647	3/4	112,321	3/4	129,994	3/4	147,668	3/4	165,342
6	6,646	6	24,320	6	41,994	6	59,667	6	77,341	6	95,015	6	112,689	6	130,362	6	148,036	6	165,710
1/4	7,014	1/4	24,688	1/4	42,362	1/4	60,035	1/4	77,709	1/4	95,383	1/4	113,057	1/4	130,730	1/4	148,404	1/4	166,078
1/2	7,382	1/2	25,056	1/2	42,730	1/2	60,403	1/2	78,077	1/2	95,751	1/2	113,425	1/2	131,098	1/2	148,772	1/2	166,446
3/4	7,751	3/4	25,425	3/4	43,098	3/4	60,772	3/4	78,446	3/4	96,120	3/4	113,793	3/4	131,467	3/4	149,141	3/4	166,814
7	8,119	7	25,793	7	43,466	7	61,140	7	78,814	7	96,488	7	114,161	7	131,835	7	149,509	7	167,182
1/4	8,487	1/4	26,161	1/4	43,834	1/4	61,508	1/4	79,182	1/4	96,856	1/4	114,529	1/4	132,203	1/4	149,877	1/4	167,550
1/2	8,855	1/2	26,529	1/2	44,202	1/2	61,876	1/2	79,550	1/2	97,224	1/2	114,897	1/2	132,571	1/2	150,245	1/2	167,918
3/4	9,224	3/4	26,898	3/4	44,571	3/4	62,245	3/4	79,919	3/4	97,592	3/4	115,266	3/4	132,940	3/4	150,614	3/4	168,287
8	9,592	8	27,266	8	44,939	8	62,613	8	80,287	8	97,960	8	115,634	8	133,308	8	150,982	8	168,655
1/4	9,960	1/4	27,634	1/4	45,307	1/4	62,981	1/4	80,655	1/4	98,328	1/4	116,002	1/4	133,676	1/4	151,350	1/4	169,017
1/2	10,328	1/2	28,002	1/2	45,675	1/2	63,349	1/2	81,023	1/2	98,696	1/2	116,370	1/2	134,044	1/2	151,718	1/2	169,372
3/4	10,697	3/4	28,370	3/4	46,044	3/4	63,718	3/4	81,392	3/4	99,065	3/4	116,739	3/4	134,413	3/4	152,086	3/4	169,728
9	11,065	9	28,738	9	46,412	9	64,086	9	81,760	9	99,433	9	117,107	9	134,781	9	152,454	9	170,083
1/4	11,433	1/4	29,106	1/4	46,780	1/4	64,454	1/4	82,128	1/4	99,801	1/4	117,475	1/4	135,149	1/4	152,822	1/4	170,409
1/2	11,801	1/2	29,474	1/2	47,148	1/2	64,822	1/2	82,496	1/2	100,169	1/2	117,843	1/2	135,517	1/2	153,190	1/2	170,706
3/4	12,169	3/4	29,843	3/4	47,517	3/4	65,191	3/4	82,864	3/4	100,538	3/4	118,212	3/4	135,885	3/4	153,559	3/4	171,002
10	12,537	10	30,211	10	47,885	10	65,559	10	83,232	10	100,906	10	118,580	10	136,253	10	153,927	10	171,299
1/4	12,905	1/4	30,579	1/4	48,253	1/4	65,927	1/4	83,600	1/4	101,274	1/4	118,948	1/4	136,621	1/4	154,295	1/4	171,531
1/2	13,273	1/2	30,947	1/2	48,621	1/2	66,295	1/2	83,968	1/2	101,642	1/2	119,316	1/2	136,989	1/2	154,663	1/2	171,700
3/4	13,642	3/4	31,316	3/4	48,990	3/4	66,663	3/4	84,337	3/4	102,011	3/4	119,685	3/4	137,358	3/4	155,032	3/4	171,869
11	14,010	11	31,684	11	49,358	11	67,031	11	84,705	11	102,379	11	120,053	11	137,726	11	155,400	11	172,038
1/4	14,378	1/4	32,052	1/4	49,726	1/4	67,399	1/4	85,073	1/4	102,747	1/4	120,421	1/4	138,094	1/4	155,768	1/4	172,153
1/2	14,746	1/2	32,420	1/2	50,094	1/2	67,767	1/2	85,441	1/2	103,115	1/2	120,789	1/2	138,462	1/2	156,136	1/2	172,214
3/4	15,115	3/4	32,789	3/4	50,463	3/4	68,136	3/4	85,810	3/4	103,484	3/4	121,157	3/4	138,831	3/4	156,505	3/4	172,276

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" MMC VALVE.
 GAUGE POINT: (MMC) LOCATED ON CENTERLINE AND 41'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EIDC 13"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 11'-00 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	172,337	0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 04/05/1999 SI
DECK MEASUREMENTS: 04/03/2012 SW
REPRINTED: 01/06/2016 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2016

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EIDC 13"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 11'-00 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	19	0	15,432	0	33,047	0	50,662	0	68,277	0	85,892	0	103,507	0	121,122	0	138,737	0	156,352
1/4	80	1/4	15,799	1/4	33,414	1/4	51,029	1/4	68,644	1/4	86,259	1/4	103,874	1/4	121,489	1/4	139,104	1/4	156,719
1/2	141	1/2	16,166	1/2	33,781	1/2	51,396	1/2	69,011	1/2	86,626	1/2	104,241	1/2	121,856	1/2	139,471	1/2	157,086
3/4	202	3/4	16,533	3/4	34,148	3/4	51,763	3/4	69,378	3/4	86,993	3/4	104,608	3/4	122,223	3/4	139,838	3/4	157,453
1	263	1	16,900	1	34,515	1	52,130	1	69,745	1	87,360	1	104,975	1	122,590	1	140,205	1	157,820
1/4	447	1/4	17,267	1/4	34,882	1/4	52,497	1/4	70,112	1/4	87,727	1/4	105,342	1/4	122,957	1/4	140,572	1/4	158,187
1/2	630	1/2	17,634	1/2	35,249	1/2	52,864	1/2	70,479	1/2	88,094	1/2	105,709	1/2	123,324	1/2	140,939	1/2	158,554
3/4	814	3/4	18,001	3/4	35,616	3/4	53,231	3/4	70,846	3/4	88,461	3/4	106,076	3/4	123,691	3/4	141,306	3/4	158,921
2	997	2	18,368	2	35,983	2	53,598	2	71,213	2	88,828	2	106,443	2	124,058	2	141,673	2	159,288
1/4	1,303	1/4	18,735	1/4	36,350	1/4	53,965	1/4	71,580	1/4	89,195	1/4	106,810	1/4	124,425	1/4	142,040	1/4	159,655
1/2	1,609	1/2	19,102	1/2	36,717	1/2	54,332	1/2	71,947	1/2	89,562	1/2	107,177	1/2	124,792	1/2	142,407	1/2	160,022
3/4	1,914	3/4	19,468	3/4	37,084	3/4	54,699	3/4	72,314	3/4	89,929	3/4	107,544	3/4	125,159	3/4	142,774	3/4	160,389
3	2,220	3	19,835	3	37,451	3	55,066	3	72,681	3	90,296	3	107,911	3	125,526	3	143,141	3	160,756
1/4	2,587	1/4	20,202	1/4	37,818	1/4	55,433	1/4	73,048	1/4	90,663	1/4	108,278	1/4	125,893	1/4	143,508	1/4	161,123
1/2	2,953	1/2	20,569	1/2	38,185	1/2	55,800	1/2	73,415	1/2	91,030	1/2	108,645	1/2	126,260	1/2	143,875	1/2	161,490
3/4	3,320	3/4	20,936	3/4	38,551	3/4	56,167	3/4	73,782	3/4	91,397	3/4	109,012	3/4	126,627	3/4	144,242	3/4	161,857
4	3,686	4	21,303	4	38,918	4	56,534	4	74,149	4	91,764	4	109,379	4	126,994	4	144,609	4	162,224
1/4	4,054	1/4	21,670	1/4	39,285	1/4	56,901	1/4	74,516	1/4	92,131	1/4	109,746	1/4	127,361	1/4	144,976	1/4	162,591
1/2	4,421	1/2	22,037	1/2	39,652	1/2	57,268	1/2	74,883	1/2	92,498	1/2	110,113	1/2	127,728	1/2	145,343	1/2	162,958
3/4	4,789	3/4	22,404	3/4	40,019	3/4	57,635	3/4	75,250	3/4	92,865	3/4	110,480	3/4	128,095	3/4	145,710	3/4	163,325
5	5,156	5	22,771	5	40,386	5	58,002	5	75,617	5	93,232	5	110,847	5	128,462	5	146,077	5	163,692
1/4	5,523	1/4	23,138	1/4	40,753	1/4	58,369	1/4	75,984	1/4	93,599	1/4	111,214	1/4	128,829	1/4	146,444	1/4	164,059
1/2	5,890	1/2	23,505	1/2	41,120	1/2	58,736	1/2	76,351	1/2	93,966	1/2	111,581	1/2	129,196	1/2	146,811	1/2	164,426
3/4	6,257	3/4	23,872	3/4	41,487	3/4	59,102	3/4	76,718	3/4	94,333	3/4	111,948	3/4	129,563	3/4	147,178	3/4	164,793
6	6,624	6	24,239	6	41,854	6	59,469	6	77,085	6	94,700	6	112,315	6	129,930	6	147,545	6	165,160
1/4	6,991	1/4	24,606	1/4	42,221	1/4	59,836	1/4	77,452	1/4	95,067	1/4	112,682	1/4	130,297	1/4	147,912	1/4	165,527
1/2	7,358	1/2	24,973	1/2	42,588	1/2	60,203	1/2	77,819	1/2	95,434	1/2	113,049	1/2	130,663	1/2	148,279	1/2	165,894
3/4	7,725	3/4	25,340	3/4	42,955	3/4	60,570	3/4	78,185	3/4	95,801	3/4	113,416	3/4	131,030	3/4	148,646	3/4	166,261
7	8,092	7	25,707	7	43,322	7	60,937	7	78,552	7	96,168	7	113,783	7	131,396	7	149,013	7	166,628
1/4	8,459	1/4	26,074	1/4	43,689	1/4	61,304	1/4	78,919	1/4	96,535	1/4	114,150	1/4	131,764	1/4	149,380	1/4	166,995
1/2	8,826	1/2	26,441	1/2	44,056	1/2	61,671	1/2	79,286	1/2	96,902	1/2	114,517	1/2	132,131	1/2	149,747	1/2	167,362
3/4	9,193	3/4	26,808	3/4	44,423	3/4	62,038	3/4	79,653	3/4	97,268	3/4	114,884	3/4	132,499	3/4	150,114	3/4	167,729
8	9,560	8	27,175	8	44,790	8	62,405	8	80,020	8	97,635	8	115,251	8	132,866	8	150,481	8	168,096
1/4	9,927	1/4	27,542	1/4	45,157	1/4	62,772	1/4	80,387	1/4	98,002	1/4	115,618	1/4	133,233	1/4	150,848	1/4	168,463
1/2	10,294	1/2	27,909	1/2	45,524	1/2	63,139	1/2	80,754	1/2	98,369	1/2	115,985	1/2	133,600	1/2	151,215	1/2	168,830
3/4	10,661	3/4	28,276	3/4	45,891	3/4	63,506	3/4	81,121	3/4	98,736	3/4	116,351	3/4	133,967	3/4	151,582	3/4	169,197
9	11,028	9	28,643	9	46,258	9	63,873	9	81,488	9	99,103	9	116,718	9	134,334	9	151,949	9	169,564
1/4	11,395	1/4	29,010	1/4	46,625	1/4	64,240	1/4	81,855	1/4	99,470	1/4	117,085	1/4	134,701	1/4	152,316	1/4	169,870
1/2	11,762	1/2	29,377	1/2	46,992	1/2	64,607	1/2	82,222	1/2	99,837	1/2	117,452	1/2	135,068	1/2	152,683	1/2	170,176
3/4	12,129	3/4	29,744	3/4	47,359	3/4	64,974	3/4	82,589	3/4	100,204	3/4	117,819	3/4	135,434	3/4	153,050	3/4	170,481
10	12,496	10	30,111	10	47,726	10	65,341	10	82,956	10	100,571	10	118,186	10	135,801	10	153,417	10	170,787
1/4	12,863	1/4	30,478	1/4	48,093	1/4	65,708	1/4	83,323	1/4	100,938	1/4	118,553	1/4	136,168	1/4	153,784	1/4	170,971
1/2	13,230	1/2	30,845	1/2	48,460	1/2	66,075	1/2	83,690	1/2	101,305	1/2	118,920	1/2	136,535	1/2	154,151	1/2	171,154
3/4	13,597	3/4	31,212	3/4	48,827	3/4	66,442	3/4	84,057	3/4	101,672	3/4	119,287	3/4	136,902	3/4	154,517	3/4	171,338
11	13,964	11	31,579	11	49,194	11	66,809	11	84,424	11	102,039	11	119,654	11	137,269	11	154,884	11	171,521
1/4	14,331	1/4	31,946	1/4	49,561	1/4	67,176	1/4	84,791	1/4	102,406	1/4	120,021	1/4	137,636	1/4	155,251	1/4	171,582
1/2	14,698	1/2	32,313	1/2	49,928	1/2	67,543	1/2	85,158	1/2	102,773	1/2	120,388	1/2	138,003	1/2	155,618	1/2	171,643
3/4	15,065	3/4	32,680	3/4	50,295	3/4	67,910	3/4	85,525	3/4	103,140	3/4	120,755	3/4	138,370	3/4	155,985	3/4	171,704

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" MMC VALVE.
 GAUGE POINT: (MMC) LOCATED ON CENTERLINE AND 47'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "EIDC 13"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 11'-00 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	171,765	0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 04/05/1999 SI
DECK MEASUREMENTS: 04/03/2012 SW
REPRINTED: 01/06/2016 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2016

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>