



BARGE "DBL 210"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-3/8	- 00-3/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-3/4	- 01-3/4	02-1/8	- 02-1/8	02-1/2	- 02-1/2
2 CENTER	- 00-3/8	00-3/8	- 00-3/4	00-3/4	- 01-0/8	01-0/8	- 01-3/8	01-3/8	- 01-3/4	01-3/4	- 02-1/8	02-1/8
3 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 CENTER IS 00-3/4"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 CENTER, THE TRIM CORRECTED INNAGE IS 4'-00 3/4'

LENGTH BETWEEN DRAFT MARKS: 167'-00"

January 20, 2021

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 210"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,504.28	0	2,753.58	0	2,978.05	0	3,202.53	0	3,427.00	0		0		0		0		0	
1/4	2,509.64	1/4	2,758.26	1/4	2,982.73	1/4	3,207.20	1/4	3,431.22	1/4		1/4		1/4		1/4		1/4	
1/2	2,515.00	1/2	2,762.94	1/2	2,987.41	1/2	3,211.88	1/2	3,435.45	1/2		1/2		1/2		1/2		1/2	
3/4	2,520.36	3/4	2,767.61	3/4	2,992.08	3/4	3,216.56	3/4	3,439.68	3/4		3/4		3/4		3/4		3/4	
1	2,525.72	1	2,772.29	1	2,996.76	1	3,221.23	1	3,443.90	1		1		1		1		1	
1/4	2,531.09	1/4	2,776.97	1/4	3,001.44	1/4	3,225.91	1/4	3,447.24	1/4		1/4		1/4		1/4		1/4	
1/2	2,536.45	1/2	2,781.64	1/2	3,006.11	1/2	3,230.59	1/2	3,450.57	1/2		1/2		1/2		1/2		1/2	
3/4	2,541.81	3/4	2,786.32	3/4	3,010.79	3/4	3,235.26	3/4	3,453.90	3/4		3/4		3/4		3/4		3/4	
2	2,547.17	2	2,790.99	2	3,015.47	2	3,239.94	2	3,457.23	2		2		2		2		2	
1/4	2,552.53	1/4	2,795.67	1/4	3,020.14	1/4	3,244.62	1/4	3,459.67	1/4		1/4		1/4		1/4		1/4	
1/2	2,557.89	1/2	2,800.35	1/2	3,024.82	1/2	3,249.29	1/2	3,462.11	1/2		1/2		1/2		1/2		1/2	
3/4	2,563.26	3/4	2,805.02	3/4	3,029.50	3/4	3,253.97	3/4	3,464.54	3/4		3/4		3/4		3/4		3/4	
3	2,568.62	3	2,809.70	3	3,034.17	3	3,258.64	3	3,466.98	3		3		3		3		3	
1/4	2,573.98	1/4	2,814.38	1/4	3,038.85	1/4	3,263.32	1/4	3,469.22	1/4		1/4		1/4		1/4		1/4	
1/2	2,579.34	1/2	2,819.05	1/2	3,043.53	1/2	3,268.00	1/2	3,471.46	1/2		1/2		1/2		1/2		1/2	
3/4	2,584.70	3/4	2,823.73	3/4	3,048.20	3/4	3,272.67	3/4	3,473.70	3/4		3/4		3/4		3/4		3/4	
4	2,590.06	4	2,828.41	4	3,052.88	4	3,277.35	4	3,475.94	4		4		4		4		4	
1/4	2,595.43	1/4	2,833.08	1/4	3,057.56	1/4	3,282.03	1/4	3,477.28	1/4		1/4		1/4		1/4		1/4	
1/2	2,600.79	1/2	2,837.76	1/2	3,062.23	1/2	3,286.70	1/2	3,478.63	1/2		1/2		1/2		1/2		1/2	
3/4	2,606.15	3/4	2,842.44	3/4	3,066.91	3/4	3,291.38	3/4	3,479.97	3/4		3/4		3/4		3/4		3/4	
5	2,611.51	5	2,847.11	5	3,071.58	5	3,296.06	5	3,481.31	5		5		5		5		5	
1/4	2,616.87	1/4	2,851.79	1/4	3,076.26	1/4	3,300.73	1/4	3,481.76	1/4		1/4		1/4		1/4		1/4	
1/2	2,622.23	1/2	2,856.47	1/2	3,080.94	1/2	3,305.41	1/2	3,482.21	1/2		1/2		1/2		1/2		1/2	
3/4	2,627.59	3/4	2,861.14	3/4	3,085.61	3/4	3,310.09	3/4	3,482.66	3/4		3/4		3/4		3/4		3/4	
6	2,632.96	6	2,865.82	6	3,090.29	6	3,314.76	6	3,483.11	6		6		6		6		6	
1/4	2,638.33	1/4	2,870.50	1/4	3,094.97	1/4	3,319.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,643.71	1/2	2,875.17	1/2	3,099.64	1/2	3,324.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,649.08	3/4	2,879.85	3/4	3,104.32	3/4	3,328.79	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,654.46	7	2,884.52	7	3,109.00	7	3,333.47	7		7		7		7		7		7	
1/4	2,659.83	1/4	2,889.20	1/4	3,113.67	1/4	3,338.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,665.21	1/2	2,893.88	1/2	3,118.35	1/2	3,342.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,670.59	3/4	2,898.55	3/4	3,123.03	3/4	3,347.50	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,675.96	8	2,903.23	8	3,127.70	8	3,352.17	8		8		8		8		8		8	
1/4	2,681.34	1/4	2,907.91	1/4	3,132.38	1/4	3,356.85	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,686.71	1/2	2,912.58	1/2	3,137.06	1/2	3,361.53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,692.09	3/4	2,917.26	3/4	3,141.73	3/4	3,366.20	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,697.46	9	2,921.94	9	3,146.41	9	3,370.88	9		9		9		9		9		9	
1/4	2,702.14	1/4	2,926.61	1/4	3,151.09	1/4	3,375.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,706.82	1/2	2,931.29	1/2	3,155.76	1/2	3,380.23	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,711.49	3/4	2,935.97	3/4	3,160.44	3/4	3,384.91	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,716.17	10	2,940.64	10	3,165.11	10	3,389.59	10		10		10		10		10		10	
1/4	2,720.85	1/4	2,945.32	1/4	3,169.79	1/4	3,394.26	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,725.52	1/2	2,950.00	1/2	3,174.47	1/2	3,398.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,730.20	3/4	2,954.67	3/4	3,179.14	3/4	3,403.62	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,734.88	11	2,959.35	11	3,183.82	11	3,408.29	11		11		11		11		11		11	
1/4	2,739.55	1/4	2,964.03	1/4	3,188.50	1/4	3,412.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,744.23	1/2	2,968.70	1/2	3,193.17	1/2	3,417.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,748.91	3/4	2,973.38	3/4	3,197.85	3/4	3,422.32	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/19/2021 JS
COMPUTED: 01/20/2021 CL
PRINTED: 01/20/2021 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2021



BARGE "DBL 210"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15-05 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,798.47	0	3,085.94	0	3,373.41	0	3,660.87	0	3,948.34	0		0		0		0		0	
1/4	2,804.46	1/4	3,091.93	1/4	3,379.40	1/4	3,666.86	1/4	3,953.83	1/4		1/4		1/4		1/4		1/4	
1/2	2,810.45	1/2	3,097.92	1/2	3,385.39	1/2	3,672.85	1/2	3,959.31	1/2		1/2		1/2		1/2		1/2	
3/4	2,816.44	3/4	3,103.91	3/4	3,391.37	3/4	3,678.84	3/4	3,964.80	3/4		3/4		3/4		3/4		3/4	
1	2,822.43	1	3,109.90	1	3,397.36	1	3,684.83	1	3,970.28	1		1		1		1		1	
1/4	2,828.42	1/4	3,115.88	1/4	3,403.35	1/4	3,690.82	1/4	3,974.77	1/4		1/4		1/4		1/4		1/4	
1/2	2,834.41	1/2	3,121.87	1/2	3,409.34	1/2	3,696.81	1/2	3,979.26	1/2		1/2		1/2		1/2		1/2	
3/4	2,840.40	3/4	3,127.86	3/4	3,415.33	3/4	3,702.80	3/4	3,983.76	3/4		3/4		3/4		3/4		3/4	
2	2,846.38	2	3,133.85	2	3,421.32	2	3,708.79	2	3,988.25	2		2		2		2		2	
1/4	2,852.37	1/4	3,139.84	1/4	3,427.31	1/4	3,714.77	1/4	3,991.74	1/4		1/4		1/4		1/4		1/4	
1/2	2,858.36	1/2	3,145.83	1/2	3,433.30	1/2	3,720.76	1/2	3,995.23	1/2		1/2		1/2		1/2		1/2	
3/4	2,864.35	3/4	3,151.82	3/4	3,439.29	3/4	3,726.75	3/4	3,998.73	3/4		3/4		3/4		3/4		3/4	
3	2,870.34	3	3,157.81	3	3,445.27	3	3,732.74	3	4,002.22	3		3		3		3		3	
1/4	2,876.33	1/4	3,163.80	1/4	3,451.26	1/4	3,738.73	1/4	4,004.72	1/4		1/4		1/4		1/4		1/4	
1/2	2,882.32	1/2	3,169.78	1/2	3,457.25	1/2	3,744.72	1/2	4,007.21	1/2		1/2		1/2		1/2		1/2	
3/4	2,888.31	3/4	3,175.77	3/4	3,463.24	3/4	3,750.71	3/4	4,009.71	3/4		3/4		3/4		3/4		3/4	
4	2,894.30	4	3,181.76	4	3,469.23	4	3,756.70	4	4,012.20	4		4		4		4		4	
1/4	2,900.28	1/4	3,187.75	1/4	3,475.22	1/4	3,762.69	1/4	4,013.70	1/4		1/4		1/4		1/4		1/4	
1/2	2,906.27	1/2	3,193.74	1/2	3,481.21	1/2	3,768.67	1/2	4,015.20	1/2		1/2		1/2		1/2		1/2	
3/4	2,912.26	3/4	3,199.73	3/4	3,487.20	3/4	3,774.66	3/4	4,016.69	3/4		3/4		3/4		3/4		3/4	
5	2,918.25	5	3,205.72	5	3,493.19	5	3,780.65	5	4,018.19	5		5		5		5		5	
1/4	2,924.24	1/4	3,211.71	1/4	3,499.17	1/4	3,786.64	1/4	4,018.69	1/4		1/4		1/4		1/4		1/4	
1/2	2,930.23	1/2	3,217.70	1/2	3,505.16	1/2	3,792.63	1/2	4,019.19	1/2		1/2		1/2		1/2		1/2	
3/4	2,936.22	3/4	3,223.69	3/4	3,511.15	3/4	3,798.62	3/4	4,019.69	3/4		3/4		3/4		3/4		3/4	
6	2,942.21	6	3,229.67	6	3,517.14	6	3,804.61	6	4,020.19	6		6		6		6		6	
1/4	2,948.20	1/4	3,235.66	1/4	3,523.13	1/4	3,810.60	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,954.18	1/2	3,241.65	1/2	3,529.12	1/2	3,816.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,960.17	3/4	3,247.64	3/4	3,535.11	3/4	3,822.58	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,966.16	7	3,253.63	7	3,541.10	7	3,828.56	7		7		7		7		7		7	
1/4	2,972.15	1/4	3,259.62	1/4	3,547.09	1/4	3,834.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,978.14	1/2	3,265.61	1/2	3,553.07	1/2	3,840.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,984.13	3/4	3,271.60	3/4	3,559.06	3/4	3,846.53	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,990.12	8	3,277.59	8	3,565.05	8	3,852.52	8		8		8		8		8		8	
1/4	2,996.11	1/4	3,283.57	1/4	3,571.04	1/4	3,858.51	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,002.10	1/2	3,289.56	1/2	3,577.03	1/2	3,864.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,008.08	3/4	3,295.55	3/4	3,583.02	3/4	3,870.49	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,014.07	9	3,301.54	9	3,589.01	9	3,876.48	9		9		9		9		9		9	
1/4	3,020.06	1/4	3,307.53	1/4	3,595.00	1/4	3,882.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,026.05	1/2	3,313.52	1/2	3,600.99	1/2	3,888.45	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,032.04	3/4	3,319.51	3/4	3,606.97	3/4	3,894.44	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,038.03	10	3,325.50	10	3,612.96	10	3,900.43	10		10		10		10		10		10	
1/4	3,044.02	1/4	3,331.49	1/4	3,618.95	1/4	3,906.42	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,050.01	1/2	3,337.47	1/2	3,624.94	1/2	3,912.41	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,056.00	3/4	3,343.46	3/4	3,630.93	3/4	3,918.40	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,061.98	11	3,349.45	11	3,636.92	11	3,924.39	11		11		11		11		11		11	
1/4	3,067.97	1/4	3,355.44	1/4	3,642.91	1/4	3,930.38	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,073.96	1/2	3,361.43	1/2	3,648.90	1/2	3,936.36	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,079.95	3/4	3,367.42	3/4	3,654.89	3/4	3,942.35	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/19/2021 JS
COMPUTED: 01/20/2021 CL
PRINTED: 01/20/2021 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2021



BARGE "DBL 210"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,461.51	0	2,713.99	0	2,966.47	0	3,218.95	0	3,471.43	0		0		0		0		0	
1/4	2,466.77	1/4	2,719.25	1/4	2,971.73	1/4	3,224.21	1/4	3,476.25	1/4		1/4		1/4		1/4		1/4	
1/2	2,472.03	1/2	2,724.51	1/2	2,976.99	1/2	3,229.47	1/2	3,481.07	1/2		1/2		1/2		1/2		1/2	
3/4	2,477.29	3/4	2,729.77	3/4	2,982.25	3/4	3,234.73	3/4	3,485.89	3/4		3/4		3/4		3/4		3/4	
1	2,482.55	1	2,735.03	1	2,987.51	1	3,239.99	1	3,490.71	1		1		1		1		1	
1/4	2,487.81	1/4	2,740.29	1/4	2,992.77	1/4	3,245.25	1/4	3,494.66	1/4		1/4		1/4		1/4		1/4	
1/2	2,493.07	1/2	2,745.55	1/2	2,998.03	1/2	3,250.51	1/2	3,498.60	1/2		1/2		1/2		1/2		1/2	
3/4	2,498.33	3/4	2,750.81	3/4	3,003.29	3/4	3,255.77	3/4	3,502.55	3/4		3/4		3/4		3/4		3/4	
2	2,503.59	2	2,756.07	2	3,008.55	2	3,261.03	2	3,506.49	2		2		2		2		2	
1/4	2,508.85	1/4	2,761.33	1/4	3,013.81	1/4	3,266.29	1/4	3,509.56	1/4		1/4		1/4		1/4		1/4	
1/2	2,514.11	1/2	2,766.59	1/2	3,019.07	1/2	3,271.55	1/2	3,512.63	1/2		1/2		1/2		1/2		1/2	
3/4	2,519.37	3/4	2,771.85	3/4	3,024.33	3/4	3,276.81	3/4	3,515.70	3/4		3/4		3/4		3/4		3/4	
3	2,524.63	3	2,777.11	3	3,029.59	3	3,282.07	3	3,518.77	3		3		3		3		3	
1/4	2,529.89	1/4	2,782.37	1/4	3,034.85	1/4	3,287.33	1/4	3,520.96	1/4		1/4		1/4		1/4		1/4	
1/2	2,535.15	1/2	2,787.63	1/2	3,040.11	1/2	3,292.59	1/2	3,523.15	1/2		1/2		1/2		1/2		1/2	
3/4	2,540.41	3/4	2,792.89	3/4	3,045.37	3/4	3,297.85	3/4	3,525.34	3/4		3/4		3/4		3/4		3/4	
4	2,545.67	4	2,798.15	4	3,050.63	4	3,303.11	4	3,527.53	4		4		4		4		4	
1/4	2,550.93	1/4	2,803.41	1/4	3,055.89	1/4	3,308.37	1/4	3,528.85	1/4		1/4		1/4		1/4		1/4	
1/2	2,556.19	1/2	2,808.67	1/2	3,061.15	1/2	3,313.63	1/2	3,530.16	1/2		1/2		1/2		1/2		1/2	
3/4	2,561.45	3/4	2,813.93	3/4	3,066.41	3/4	3,318.89	3/4	3,531.48	3/4		3/4		3/4		3/4		3/4	
5	2,566.71	5	2,819.19	5	3,071.67	5	3,324.15	5	3,532.79	5		5		5		5		5	
1/4	2,571.97	1/4	2,824.45	1/4	3,076.93	1/4	3,329.41	1/4	3,533.23	1/4		1/4		1/4		1/4		1/4	
1/2	2,577.23	1/2	2,829.71	1/2	3,082.19	1/2	3,334.67	1/2	3,533.67	1/2		1/2		1/2		1/2		1/2	
3/4	2,582.49	3/4	2,834.97	3/4	3,087.45	3/4	3,339.93	3/4	3,534.11	3/4		3/4		3/4		3/4		3/4	
6	2,587.75	6	2,840.23	6	3,092.71	6	3,345.19	6	3,534.55	6		6		6		6		6	
1/4	2,593.01	1/4	2,845.49	1/4	3,097.97	1/4	3,350.45	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,598.27	1/2	2,850.75	1/2	3,103.23	1/2	3,355.71	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,603.53	3/4	2,856.01	3/4	3,108.49	3/4	3,360.97	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,608.79	7	2,861.27	7	3,113.75	7	3,366.23	7		7		7		7		7		7	
1/4	2,614.05	1/4	2,866.53	1/4	3,119.01	1/4	3,371.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,619.31	1/2	2,871.79	1/2	3,124.27	1/2	3,376.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,624.57	3/4	2,877.05	3/4	3,129.53	3/4	3,382.01	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,629.83	8	2,882.31	8	3,134.79	8	3,387.27	8		8		8		8		8		8	
1/4	2,635.09	1/4	2,887.57	1/4	3,140.05	1/4	3,392.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,640.35	1/2	2,892.83	1/2	3,145.31	1/2	3,397.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,645.61	3/4	2,898.09	3/4	3,150.57	3/4	3,403.05	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,650.87	9	2,903.35	9	3,155.83	9	3,408.31	9		9		9		9		9		9	
1/4	2,656.13	1/4	2,908.61	1/4	3,161.09	1/4	3,413.57	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,661.39	1/2	2,913.87	1/2	3,166.35	1/2	3,418.83	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,666.65	3/4	2,919.13	3/4	3,171.61	3/4	3,424.09	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,671.91	10	2,924.39	10	3,176.87	10	3,429.35	10		10		10		10		10		10	
1/4	2,677.17	1/4	2,929.65	1/4	3,182.13	1/4	3,434.61	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,682.43	1/2	2,934.91	1/2	3,187.39	1/2	3,439.87	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,687.69	3/4	2,940.17	3/4	3,192.65	3/4	3,445.13	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,692.95	11	2,945.43	11	3,197.91	11	3,450.39	11		11		11		11		11		11	
1/4	2,698.21	1/4	2,950.69	1/4	3,203.17	1/4	3,455.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,703.47	1/2	2,955.95	1/2	3,208.43	1/2	3,460.91	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,708.73	3/4	2,961.21	3/4	3,213.69	3/4	3,466.17	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/19/2021 JS
COMPUTED: 01/20/2021 CL
PRINTED: 01/20/2021 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2021



BARGE "DBL 210"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 4'-04-1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	92	0	236	0	380	0	472	0		0		0		0		0	
1/4	1	1/4	95	1/4	239	1/4	382	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	98	1/2	242	1/2	385	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	101	3/4	245	3/4	388	3/4		3/4		3/4		3/4		3/4		3/4	
1	2	1	103	1	249	1	390	1	1	1		1		1		1		1	
1/4	3	1/4	106	1/4	252	1/4	393	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	109	1/2	255	1/2	396	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6	3/4	112	3/4	258	3/4	398	3/4		3/4		3/4		3/4		3/4		3/4	
2	7	2	115	2	261	2	401	2	2	2		2		2		2		2	
1/4	8	1/4	117	1/4	264	1/4	403	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	120	1/2	267	1/2	406	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	11	3/4	123	3/4	270	3/4	408	3/4		3/4		3/4		3/4		3/4		3/4	
3	12	3	126	3	273	3	411	3	3	3		3		3		3		3	
1/4	14	1/4	129	1/4	277	1/4	413	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	16	1/2	132	1/2	280	1/2	415	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	17	3/4	135	3/4	283	3/4	418	3/4		3/4		3/4		3/4		3/4		3/4	
4	19	4	138	4	286	4	420	4	4	4		4		4		4		4	
1/4	21	1/4	141	1/4	289	1/4	423	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	22	1/2	144	1/2	292	1/2	425	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	24	3/4	147	3/4	295	3/4	427	3/4		3/4		3/4		3/4		3/4		3/4	
5	26	5	150	5	298	5	429	5	5	5		5		5		5		5	
1/4	28	1/4	153	1/4	301	1/4	431	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	30	1/2	156	1/2	304	1/2	434	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	32	3/4	159	3/4	307	3/4	436	3/4		3/4		3/4		3/4		3/4		3/4	
6	34	6	162	6	310	6	438	6	6	6		6		6		6		6	
1/4	36	1/4	165	1/4	313	1/4	440	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	38	1/2	168	1/2	316	1/2	442	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	40	3/4	171	3/4	319	3/4	444	3/4		3/4		3/4		3/4		3/4		3/4	
7	43	7	174	7	322	7	446	7	7	7		7		7		7		7	
1/4	45	1/4	177	1/4	325	1/4	448	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	47	1/2	180	1/2	328	1/2	450	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	49	3/4	183	3/4	331	3/4	451	3/4		3/4		3/4		3/4		3/4		3/4	
8	52	8	186	8	334	8	453	8	8	8		8		8		8		8	
1/4	54	1/4	189	1/4	337	1/4	455	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	56	1/2	192	1/2	340	1/2	456	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	59	3/4	195	3/4	343	3/4	458	3/4		3/4		3/4		3/4		3/4		3/4	
9	61	9	199	9	346	9	460	9	9	9		9		9		9		9	
1/4	64	1/4	202	1/4	349	1/4	461	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	66	1/2	205	1/2	352	1/2	462	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	69	3/4	208	3/4	355	3/4	464	3/4		3/4		3/4		3/4		3/4		3/4	
10	71	10	211	10	357	10	465	10	10	10		10		10		10		10	
1/4	74	1/4	214	1/4	360	1/4	466	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	76	1/2	217	1/2	363	1/2	467	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	79	3/4	220	3/4	366	3/4	468	3/4		3/4		3/4		3/4		3/4		3/4	
11	82	11	223	11	369	11	470	11	11	11		11		11		11		11	
1/4	84	1/4	227	1/4	371	1/4	470	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	87	1/2	230	1/2	374	1/2	471	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	90	3/4	233	3/4	377	3/4	471	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

STRAPPED BY: 01/19/2021 JS
CALCULATED: 01/20/2021 CL
PRINTED: 01/20/2021 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

